





YOUR WORLD STYRORAIL.CA



BLOCKS

STRAIGHT BLOCK

90° CORNER





45° CORNER

DOUBLE TAPER TOP BLOCK





BRICKLEDGE

BUILDBUCK





PANELS

BUILDLOCK STRAIGHT

BUILDLOCK BRIDGES 4"-6"-8"-10"-12"





PANEL ACCESSORIES

BRIDGE CONNECTOR

HARDWALL CONNECTOR






ADDITIONAL PRODUCTS

THERMALSERT 2"

OPENING INSULATION









INSULATED CONCRETE FORM BENEFITS

INSULATED CONCRETE FORM

EXTREME ENERGY EFFIENCY

30-70% savings on energy costs

QUIET AND COMFORTABLE

ITS 50+ 3 times more soundproof than wood

INCOMPARABLE FIRE PROTECTION

More than 3-hour fire rating

ANTI-MOLD STRUCTURE

EPS does not proliferate mold

BUILDBLOCK FORMWORK BENEFITS

INSULATED CONCRETE FORM

FULLY REVERSIBLE BLOCKS

FULLY ASSEMBLED BLOCKS

INDUSTRY STANDARD SIZE

16" tall X 48" long


TIGHTEST INTERLOCKING BLOCKS

For greater stability and precise alignment

••••••

INSULATED CONCRETE FORM

BUILDBLOCK™ | MANUFACTURED BY STYRORAIL




BEST CORNER ON THE MARKET


INSULATED CONCRETE FORM

Fastening strips supporting more load every 6 in., even in the corners. Facilitates attachment and resistance during the concrete pour.

Vertical cut lines every 1" (25 mm) and horizontal every 2" (50 mm)

"BB" marked extra heavy duty 450 lbs attachment points every 6" (152 mm)






BUILDLOCKTM KNOCKDOWN INSULATED CONCRETE FORMS

INSULATED CONCRETE FORM

Maximize savings on shipping space
Ideal for very wide walls such as pillars or footings up to 24" (610 mm)
Easily integrates with standard BuildBlock blocks
Makes inventory management more efficient for contractors in remote areas







HARDWALL™ ICF CONCRETE FACED WALLS

INSULATED CONCRETE FORM

Create an insulated ICF wall on one side and a bare concrete wall on the other in a single step

Perfect for stairwells and elevator shafts

Hardwall™ Connector provides attachment points for wood and its removal after concrete pouring

Possibility of adding several layers of insulation between the concrete and the insulation to meet the highest R-value standards



Be clever and insulate with **Bluefox**™



Patented product used for nearly 20 years*



*BuildBlock® patent







